

Section 1. Statistical Methods “Background Material”

1.1. Data Quality

1.2. “Accuracy” and “Precision”

Section 2. Probability Density Functions

2.1. Discrete Density Functions

2.1.1. Binomial Distribution

2.1.2. Poisson Distribution

2.2. Continuous Density Functions

2.2.1. Normal Distribution

2.2.2. Standard Normal Distribution

2.2.3. Weibull Distribution

2.2.4. t Distribution or “Student’s T Distribution”

2.2.5. Chi-Square Distribution

2.2.6. F Distribution

Section 3. Quantiles

3.1. Percentiles

3.2. Quantile or Q-Q Plots

3.3. Akaike’s Information Criterion (AIC) and Model Fitting

3.4. Maximum Likelihood Estimation (MLE) and Model Fitting

3.5. Bayesian Information Criterion (BIC) and Model Fitting

3.6. Box Plots

Section 4. Hypothesis Testing, Type I Error, and p-values

4.1. Hypothesis Testing

4.2. Level of Significance

4.3. Confidence Intervals

4.3.1. Confidence Interval for μ when σ^2 is known

4.3.1. Exercise

4.3.2. Confidence Interval on μ when σ^2 is unknown

4.3.3. Significance Tests on the Mean when σ^2 is unknown

4.3.3. Exercise

Section 5. Design of Experiments (DoE)

5.1. Scientific Inference

5.2. Introduction to Modern Design

5.3. Key Design Principles

5.4. Example: Experiments with a Single Factor

5.5. Analysis of Variance (ANOVA)

5.6. General Linear Model (GLM)

5.7. Example: General Linear Model (GLM) - ANOVA

5.8. Assumptions of ANOVA

5.9. Sums of Squares

5.10. One-Way ANOVA Computational Approach

5.10.1. Cochran's Theorem

[5.10.4. Example: Single Factor \(Analyze using JMP\)](#)

[5.11. Example: Helicopter Experiment](#)

[5.12. Full Factorial Designs Two-Way ANOVA](#)

[5.12.1. Two-Factor “Full Factorial Design”](#)

[5.12.2. Example: “Two-Factor, Fixed Effects Model”](#)

[5.12.4. Example: Two-Factor, Fixed Effects Model using JMP](#)

[5.12.5. Exercise: Helicopter Experiment Two Factors](#)

[5.13. Three-Factor Full Factorial Fixed Effects Model](#)

[5.14. Designing Experiments with Covariate Factors](#)

[5.14.2. Example: Designing Experiments with Covariate Factors using JMP](#)

[5.16. The \$2^k\$ Design “Screening Designs”](#)

[5.16.1. Example: The \$2^3\$ Design “Yates Notation”](#)

[Section 6. Recall Assumptions of ANOVA](#)

Section 7. Taguchi Philosophy - “Robust Product Design”

7.1. “Signal-to-Noise” (S/N) Ratio”

7.2. Orthogonal Arrays (OA)

7.3. Example: Taguchi Philosophy

7.4. Limitations of the Taguchi Method

7.5. Advantages of the Taguchi Method

7.6. Example: Taguchi Philosophy using JMP Exercise

7.7. Exercise: Helicopter Experiment with “No Noise”

7.8. Exercise: Helicopter Experiment with “Noise”

Section 8. Philosophy of Blocking in Experimentation

8.1. Randomized Complete Block Design (RCBD)

8.1. Example: RCBD for Single Factor using SPSS

8.2. Example: RCBD for Single Factor using JMP

Section 9. Split-Plot Design

9.1. Example: Split-Plot Design using JMP

Section 10. Nested and Split-Plot Designs

10.1. Example: Two-Stage Nested Design using JMP

Section 11. Two-Level Fractional Factorial Designs

[11.1. One-Half Fraction of the \$2^k\$ Design](#)

[11.2. One-Half Fraction of the \$2^k\$ Design “Design Resolution”](#)

[11.3. General \$2^{k-p}\$ Fractional Factorial Design](#)

[11.3. Example: Two-Level Fractional Factorial Designs using JMP](#)

[Section 12. Blocking and Confounding in the \$2^k\$ Factorial Design](#)

[12.1 Example: \$2^2\$ Factorial Design in Three Blocks using JMP](#)

[Section 13. Response Surface Methods and Designs](#)

[13.1. Example: Response Surface “*Central Composite Design*”](#)

[13.2. Response Surface “*Box-Behnken Design*”](#)

[13.2. Example. Response Surface “*Box-Behnken Design*”](#)

[Section 14. Case Study I](#)

[Section 15. Case Study II](#)

[Section 16. Case Study III](#)

[Section 17. Case Study IV](#)